



PDC Laboratories, Inc.

PROFESSIONAL • DEPENDABLE • COMMITTED

August 03, 2017

Brandon Dash
St. Joseph School Pekin
300 S. 6th Street
Pekin, IL 61554

Dear Brandon Dash:

Please find enclosed the analytical results for the sample(s) the laboratory received on **7/5/17 8:15 am** and logged in under work order **7070152**. All testing is performed according to our current TNI certifications unless otherwise noted. This report cannot be reproduced, except in full, without the written permission of PDC Laboratories, Inc.

If you have any questions regarding your report, please contact your project manager. Quality and timely data is of the utmost importance to us.

PDC Laboratories, Inc. appreciates the opportunity to provide you with analytical expertise. We are always trying to improve our customer service and we welcome you to contact the Vice President, John LaPayne with any feedback you have about your experience with our laboratory.

Sincerely,

Senior Project Manager
(309) 692-9688 x1719
kstepping@pdclab.com





ANALYTICAL RESULTS

Sample: 7070152-01
Name: 2nd Floor West Fountain 1st Draw
Matrix: Drinking Water - Regular Sample

Sampled: 07/03/17 06:46
Received: 07/05/17 08:15

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
Total Metals - PIA							
Lead	2.73	ug/L		07/28/17 10:13	07/31/17 13:48	KMC	EPA 200.8

Sample: 7070152-02
Name: 2nd Floor West Fountain 2nd Draw
Matrix: Drinking Water - Regular Sample

Sampled: 07/03/17 06:47
Received: 07/05/17 08:15

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
Total Metals - PIA							
Lead	3.47	ug/L		07/28/17 10:13	07/31/17 13:49	KMC	EPA 200.8

Sample: 7070152-03
Name: 2nd Floor East Fountain 1st Draw
Matrix: Drinking Water - Regular Sample

Sampled: 07/03/17 06:49
Received: 07/05/17 08:15

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
Total Metals - PIA							
Lead	< 1.00	ug/L		07/28/17 10:13	07/31/17 13:50	KMC	EPA 200.8

Sample: 7070152-04
Name: 2nd Floor East Fountain 2nd Draw
Matrix: Drinking Water - Regular Sample

Sampled: 07/03/17 06:50
Received: 07/05/17 08:15

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
Total Metals - PIA							
Lead	1.04	ug/L		07/28/17 10:13	07/31/17 13:52	KMC	EPA 200.8

Sample: 7070152-05
Name: Main Floor West Fountain 1st Draw
Matrix: Drinking Water - Regular Sample

Sampled: 07/03/17 06:53
Received: 07/05/17 08:15

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
Total Metals - PIA							
Lead	3.33	ug/L		07/28/17 10:13	07/31/17 13:53	KMC	EPA 200.8



ANALYTICAL RESULTS

Sample: 7070152-06
Name: Main Floor West Fountain 2nd Draw
Matrix: Drinking Water - Regular Sample

Sampled: 07/03/17 06:54
Received: 07/05/17 08:15

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
Total Metals - PIA							
Lead	2.54	ug/L		07/28/17 10:13	07/31/17 13:54	KMC	EPA 200.8

Sample: 7070152-07
Name: Main Floor East Fountain 1st Draw
Matrix: Drinking Water - Regular Sample

Sampled: 07/03/17 06:56
Received: 07/05/17 08:15

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
Total Metals - PIA							
Lead	< 1.00	ug/L		07/28/17 10:13	08/02/17 16:48	KMC	EPA 200.8

Sample: 7070152-08
Name: Main Floor East Fountain 2nd Draw
Matrix: Drinking Water - Regular Sample

Sampled: 07/03/17 06:57
Received: 07/05/17 08:15

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
Total Metals - PIA							
Lead	< 1.00	ug/L		07/28/17 10:13	08/02/17 16:49	KMC	EPA 200.8

Sample: 7070152-09
Name: Basement Fountain 1st Draw
Matrix: Drinking Water - Regular Sample

Sampled: 07/03/17 07:00
Received: 07/05/17 08:15

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
Total Metals - PIA							
Lead	< 1.00	ug/L		07/28/17 10:13	07/31/17 14:05	KMC	EPA 200.8

Sample: 7070152-10
Name: Basement Fountain 2nd Draw
Matrix: Drinking Water - Regular Sample

Sampled: 07/03/17 07:01
Received: 07/05/17 08:15

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
Total Metals - PIA							
Lead	< 1.00	ug/L		07/28/17 10:13	07/31/17 14:07	KMC	EPA 200.8



ANALYTICAL RESULTS

Sample: 7070152-11
Name: Kitchen North 3 Bay 1st Draw
Matrix: Drinking Water - Regular Sample

Sampled: 07/03/17 07:02
Received: 07/05/17 08:15

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
Total Metals - PIA							
Lead	14.0	ug/L		07/28/17 10:13	07/31/17 14:08	KMC	EPA 200.8

Sample: 7070152-12
Name: Kitchen North 3 Bay 2nd Draw
Matrix: Drinking Water - Regular Sample

Sampled: 07/03/17 07:03
Received: 07/05/17 08:15

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
Total Metals - PIA							
Lead	2.20	ug/L		07/28/17 10:13	07/31/17 14:09	KMC	EPA 200.8

Sample: 7070152-13
Name: Kitchen South 3 Bay 1st Draw
Matrix: Drinking Water - Regular Sample

Sampled: 07/03/17 07:04
Received: 07/05/17 08:15

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
Total Metals - PIA							
Lead	8.20	ug/L		07/28/17 10:13	07/31/17 14:10	KMC	EPA 200.8

Sample: 7070152-14
Name: Kitchen South 3 Bay 2nd Draw
Matrix: Drinking Water - Regular Sample

Sampled: 07/03/17 07:05
Received: 07/05/17 08:15

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
Total Metals - PIA							
Lead	2.30	ug/L		07/28/17 10:13	07/31/17 14:11	KMC	EPA 200.8

Sample: 7070152-15
Name: Kitchen Middle Sink 1st Draw
Matrix: Drinking Water - Regular Sample

Sampled: 07/03/17 07:07
Received: 07/05/17 08:15

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
Total Metals - PIA							
Lead	3.81	ug/L		07/28/17 10:13	08/02/17 16:58	KMC	EPA 200.8



ANALYTICAL RESULTS

Sample: 7070152-16
Name: Kitchen Middle Sink 2nd Draw
Matrix: Drinking Water - Regular Sample

Sampled: 07/03/17 07:08
Received: 07/05/17 08:15

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
Total Metals - PIA							
Lead	1.48	ug/L		07/28/17 10:13	08/02/17 16:59	KMC	EPA 200.8

Sample: 7070152-17
Name: Kitchen South Sink 1st Draw
Matrix: Drinking Water - Regular Sample

Sampled: 07/03/17 07:10
Received: 07/05/17 08:15

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
Total Metals - PIA							
Lead	9.42	ug/L		07/28/17 10:13	07/31/17 14:23	KMC	EPA 200.8

Sample: 7070152-18
Name: Kitchen South Sink 2nd Draw
Matrix: Drinking Water - Regular Sample

Sampled: 07/03/17 07:11
Received: 07/05/17 08:15

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
Total Metals - PIA							
Lead	1.82	ug/L		07/28/17 10:13	07/31/17 14:24	KMC	EPA 200.8

Sample: 7070152-19
Name: Lounge West Sink 1st Draw
Matrix: Drinking Water - Regular Sample

Sampled: 07/03/17 07:15
Received: 07/05/17 08:15

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
Total Metals - PIA							
Lead	43.1	ug/L		07/28/17 10:13	07/31/17 14:25	KMC	EPA 200.8

Sample: 7070152-20
Name: Lounge West Sink 2nd Draw
Matrix: Drinking Water - Regular Sample

Sampled: 07/03/17 07:16
Received: 07/05/17 08:15

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
Total Metals - PIA							
Lead	8.71	ug/L		07/28/17 10:13	07/31/17 14:26	KMC	EPA 200.8



ANALYTICAL RESULTS

Sample: 7070152-21
Name: Lounge East Sink 1st Draw
Matrix: Drinking Water - Regular Sample

Sampled: 07/03/17 07:18
Received: 07/05/17 08:15

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
Total Metals - PIA							
Lead	11.6	ug/L		07/28/17 10:13	07/31/17 14:27	KMC	EPA 200.8

Sample: 7070152-22
Name: Lounge East Sink 2nd Draw
Matrix: Drinking Water - Regular Sample

Sampled: 07/03/17 07:19
Received: 07/05/17 08:15

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
Total Metals - PIA							
Lead	9.17	ug/L		07/28/17 10:13	07/31/17 14:29	KMC	EPA 200.8



NOTES

Specific method revisions used for analysis are available upon request.

Certifications

CHI - McHenry, IL

TNI Accreditation for Drinking Water, Wastewater, Hazardous and Solid Wastes Fields of Testing through IL EPA Lab No. 100279
Illinois Department of Public Health Bacteriological Analysis in Drinking Water Approved Laboratory Registry No. 17556

PIA - Peoria, IL

TNI Accreditation for Drinking Water, Wastewater, Hazardous and Solid Wastes Fields of Testing through IL EPA Lab No. 100230
Illinois Department of Public Health Bacteriological Analysis in Drinking Water Approved Laboratory Registry No. 17553
Wastewater Certifications: Arkansas (88-0677); Iowa (240); Kansas (E-10338)
Hazardous/Solid Waste Certifications: Arkansas (88-0677); Iowa (240); Kansas (E-10338)

SPMO - Springfield, MO

USEPA DMR-QA Program

STL - St. Louis, MO

TNI Accreditation for Wastewater, Hazardous and Solid Wastes Fields of Testing through KS Lab No. E-10389
Illinois Department of Public Health Bacteriological Analysis in Drinking Water Approved Laboratory Registry No. 171050
Drinking Water Certifications: Missouri (1050)
Missouri Department of Natural Resources

* Not a TNI accredited analyte

Certified by: Kurt Stepping, Senior Project Manager



CHAIN OF CUSTODY RECORD

ILLINOIS SCHOOLS LEAD TESTING

PDC LABORATORIES, INC.
2231 WEST ALTORFER DRIVE
PEORIA, IL 61615
 PHONE: (800) 752-6651 FAX: (309) 692-9688

ALL HIGHLIGHTED AREAS MUST BE COMPLETED BY CLIENT (PLEASE PRINT)

CLIENT	SCHOOL NAME	MEANS SHIPPED	ANALYSIS REQUESTED	(FOR LAB USE ONLY)
1 St. Joseph School ADDRESS: 300 South 6th St. CITY/STATE: Peoria, IL 61654 CONTACT PERSON: Brandon Dasher	St. Joseph EMAIL: St. Joseph PHONE NUMBER: 309-846-1188 DATE SHIPPED: 7/5/17	Dispatched at Office	3 LEAD 200.8	4 LOGIN # 2070152-22 LOGGED BY: [Signature] LAB PROJ. # TEMPLATE: PROJ. MGR.: KURT STEPPING
2 2nd floor west fountain 1st Draw 2nd floor west fountain 2nd Draw 2nd floor east fountain 1st Draw 2nd floor east fountain 2nd Draw Main floor west fountain 1st Draw Main floor west fountain 2nd Draw Main floor east fountain 1st Draw Main floor east fountain 2nd Draw Basement fountain 1st Draw Basement fountain 2nd Draw Kitchen water 3 Bay 4th Draw	DATE COLLECTED: 7/3/17 TIME COLLECTED: 6:46 pm 7/3/17 TIME COLLECTED: 6:47 pm 7/3/17 TIME COLLECTED: 6:49 pm 7/3/17 TIME COLLECTED: 6:50 pm 7/3/17 TIME COLLECTED: 6:53 pm 7/3/17 TIME COLLECTED: 6:54 pm 7/3/17 TIME COLLECTED: 6:56 pm 7/3/17 TIME COLLECTED: 7:00 7/3/17 TIME COLLECTED: 7:01 7/3/17 TIME COLLECTED: 7:02	SAMPLE VOLUME COLLECTED: 250 ml 250 ml 250 ml 250 ml 250 ml 250 ml 250 ml 250 ml 250 ml 250 ml 250 ml 250 ml	MATRIX TYPE: DW DW DW DW DW DW DW DW DW DW DW DW	BOTTLE COUNT: 1 1 1 1 1 1 1 1 1 1 1 1
5 TURNAROUND TIME REQUESTED (PLEASE CIRCLE) (RUSH IS SUBJECT TO PDC LABS APPROVAL AND SURCHARGE) RUSH RESULTS VIA (PLEASE CIRCLE) FAX PHONE (RUSH IS SUBJECT TO PDC LABS APPROVAL AND SURCHARGE)	DATE: 7/3/17 TIME: 7:15 AM	DATE RESULTS NEEDED: 7/3/17	6 6	The sample temperature will be measured upon receipt at the lab. By initialing this area you request that the lab notify you, before proceeding with analysis, if the sample temperature is outside of the range of 0-16.0°C. By not initialing this area you allow the lab to proceed with analytical testing regardless of the sample temperature. BD
7 RELINQUISHED BY: (SIGNATURE) [Signature]	DATE: 7/5/17 TIME: 8:00 AM	RECEIVED BY: (SIGNATURE) [Signature]	8 8	COMMENTS: (FOR LAB USE ONLY) SAMPLE TEMPERATURE UPON RECEIPT: 21 °C CHILL PROCESS STARTED PRIOR TO RECEIPT SAMPLE(S) RECEIVED ON ICE PROPER BOTTLES RECEIVED IN GOOD CONDITION BOTTLES FILLED WITH ADEQUATE VOLUME SAMPLES RECEIVED WITHIN HOLD TIME(S) (EXCLUDES TYPICAL FIELD PARAMETERS) DATE AND TIME TAKEN FROM SAMPLE BOTTLE
RELINQUISHED BY: (SIGNATURE) Brandon Dasher	DATE: 7/5/17 TIME: 8:15 am	RECEIVED BY: (SIGNATURE) [Signature]		

CHAIN OF CUSTODY RECORD

ILLINOIS SCHOOLS LEAD TESTING

PDC LABORATORIES, INC.
 2231 WEST ALTORFER DRIVE
 PEORIA, IL 61615
 PHONE: (800) 752-6651 FAX: (309) 692-3688

ALL HIGHLIGHTED AREAS MUST BE COMPLETED BY CLIENT (PLEASE PRINT)

CLIENT	P.O. NUMBER	SCHOOL NAME	MEANS SHIPPED	ANALYSIS REQUESTED	DATE SHIPPED	DATE RECEIVED	DATE/TIME LAST USED
1 ST JOSEPH School 300 South 6th St Peoria, IL 61615 Brandon Dash		St Joseph 309-846-1883 Brandon Dash	Drop-off at Office 7/5/17	3 LEAD 200.8			
2 SAMPLE DESCRIPTION AS YOU WANT ON REPORT	DATE COLLECTED	TIME COLLECTED	SAMPLE VOLUME COLLECTED	MATRIX TYPE	BOTTLE COUNT		
Kitchen north 3 bay 2nd Draw	7/3/17	7:03	250 ml	DW	1		X
Kitchen South 3 bay 1st Draw	7/3/17	7:04	250 ml	DW	1		X
Kitchen South 3 bay 2nd Draw	7/3/17	7:05	250 ml	DW	1		X
Kitchen middle sink 1st Draw	7/3/17	7:07	250 ml	DW	1		X
Kitchen middle sink 2nd Draw	7/3/17	7:08	250 ml	DW	1		X
Kitchen South sink 1st Draw	7/3/17	7:10	250 ml	DW	1		X
Kitchen South sink 2nd Draw	7/3/17	7:11	250 ml	DW	1		X
Lounge West sink 1st Draw	7/3/17	7:15	250 ml	DW	1		X
Lounge West sink 2nd Draw	7/3/17	7:16	250 ml	DW	1		X
Lounge east sink 1st Draw	7/3/17	7:18	250 ml	DW	1		X
Lounge east sink 2nd Draw	7/3/17	7:19	250 ml	DW	1		X
6 TURNAROUND TIME REQUESTED PLEASE CIRCLE (RUSH IS SUBJECT TO PDC LABS APPROVAL AND SURCHARGE) RUSH RESULTS VIA (PLEASE CIRCLE) FAX PHONE FAX # IF DIFFERENT FROM ABOVE:	DATE COLLECTED	TIME COLLECTED	SAMPLE VOLUME COLLECTED	MATRIX TYPE	BOTTLE COUNT	DATE RESULTS NEEDED	
	7/3/17	7:19	250 ml	DW	1	7/3/17	
7 RELINQUISHED BY: (SIGNATURE) RELINQUISHED BY: (SIGNATURE)	DATE	TIME	DATE	TIME	DATE	TIME	COMMENTS: (FOR LAB USE ONLY)
Brandon Dash	7/5/17	8:15am					8 SAMPLE TEMPERATURE UPON RECEIPT CHILL PROCESS STARTED PRIOR TO RECEIPT SAMPLE(S) RECEIVED ON ICE PROPER BOTTLES RECEIVED IN GOOD CONDITION BOTTLES FILLED WITH ADEQUATE VOLUME SAMPLES RECEIVED WITHIN HOLD TIME(S) (EXCLUDES TYPICAL FIELD PARAMETERS) DATE AND TIME TAKEN FROM SAMPLE BOTTLE